Normfest GmbH

42551 Velbert



Date printed 07.12.2023, Revision 07.12.2023

Version 8.0. Supersedes version: 7.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Socket and bearing mounting compound

Article number: 2896-540

Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive

1.2.2 Uses advised against

None known.

Details of the supplier of the safety data sheet

Company Normfest GmbH

Siemensstraße 23 42551 Velbert / GERMANY Phone +49 2051 275-0 Fax +49 2051 275-141 Homepage www.normfest.com E-mail info@normfest.de

Address enquiries to

Technical information info@normfest.de

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

Emergency telephone number

Advisory body Call NHS 111 or a doctor

SECTION 2: Hazards identification

Classification of the substance or mixture [REGULATION (GB) CLP]

Skin Sens. 1: H317 May cause an allergic skin reaction.

Skin Irrit. 2: H315 Causes skin irritation. Eye Irrit. 2: H319 Causes serious eye irritation. STOT SE 3: H335 May cause respiratory irritation.

2.2 Label elements

Hazard pictograms

The product is required to be labelled in accordance with regulation CLP.

Signal word WARNING

Contains: 2-Hydroxyethyl methacrylate

2,2'-Ethylenedioxydiethyl dimethacrylate

Cumene hydroperoxide 2'-Phenylacetohydrazide

Hazard statements H317 May cause an allergic skin reaction.

> H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statements P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention. P337+P313 If eye irritation persists: Get medical advice / attention

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/national regulation.



Version 8.0. Supersedes version: 7.0

Page 2 / 15

2.3 Other hazards

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards Contains no ingredients with endocrine-disrupting properties.

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - 30	2,2'-Ethylenedioxydiethyl dimethacrylate
	CAS: 109-16-0, EINECS/ELINCS: 203-652-6, Reg-No.: 01-2119969287-21-XXXX
	GHS/CLP: Skin Sens. 1: H317
20 - 30	2-Hydroxyethyl methacrylate
	CAS: 868-77-9, EINECS/ELINCS: 212-782-2, EU-INDEX: 607-124-00-X, Reg-No.: 01-2119490169-29-XXXX
	GHS/CLP: Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Eye Irrit. 2: H319
<1.5	Cumene hydroperoxide
	CAS: 80-15-9, EINECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8
	GHS/CLP: Org. Perox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr. 1B: H314 - Aquatic Chronic 2: H411
	SCL [%]: 1 - <10: Skin Irrit. 2: H315, >= 10: Skin Corr. 1B: H314, < 10: STOT SE 3: H335, 3 - <10: Eye Dam. 1: H318, 1 - <3: Eye Irrit. 2: H319
0.1 - <1	2'-Phenylacetohydrazide
	CAS: 114-83-0, EINECS/ELINCS: 204-055-3
	GHS/CLP: Acute Tox. 3: H301 - Skin Irrit. 2: H315 - Eye Irrit. 2: H319 - Skin Sens. 1: H317 - STOT SE 3: H335
0.01 - <0.05	1,4-Dihydroxybenzene
	CAS: 123-31-9, EINECS/ELINCS: 204-617-8, EU-INDEX: 604-005-00-4
	GHS/CLP: Carc. 2: H351 - Muta. 2: H341 - Acute Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400, M-Factor (acute): 10

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

Skin contact In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.



Version 8.0. Supersedes version: 7.0

age 3 / 15

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Nitrogen oxides (NOx). Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Wear full protective suit.

Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder,

diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Open and handle container with care.

Keep away from sources of ignition - refrain from smoking.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.



Version 8.0. Supersedes version: 7.0

age 4 / 15

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Do not store together with acids.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place.

Keep container tightly closed.

Store in a dry place.

Recommended storage temperature: <25 °C.

Protect from sun.

7.3 Specific end use(s)

See product use, SECTION 1.2



Version 8.0. Supersedes version: 7.0

Page 5 / 15

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Substance

1,4-Dihydroxybenzene

CAS: 123-31-9, EINECS/ELINCS: 204-617-8, EU-INDEX: 604-005-00-4

Long-term exposure: 0,5 mg/m³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance	
2-Hydroxyethyl methacrylate, CAS: 868-77-9	
Industrial, dermal, Long-term - systemic effects, 1.3 mg/kg bw/d	
Industrial, inhalative, Long-term - systemic effects, 4.9 mg/m³	
general population, oral, Long-term - systemic effects, 830 μg/kg bw/d	
general population, inhalative, Long-term - systemic effects, 2.9 mg/m³	
2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0	
Industrial, dermal, Long-term - systemic effects, 13.9 mg/kg bw/d (AF=72)	
Industrial, inhalative, Long-term - systemic effects, 48.5 mg/m³ (AF=18)	
general population, oral, Long-term - systemic effects, 8.33 mg/kg bw/d (AF=120)	
general population, inhalative, Long-term - systemic effects, 14.5 mg/m³ (AF=69)	
general population, dermal, Long-term - systemic effects, 8.33 mg/kg bw/d (AF=120)	

PNEC

2-Hydroxyethyl methacrylate, CAS: 868-77-9
soil, 476 μg/kg
sediment (seawater), 3.79 mg/kg
sediment (freshwater), 3.79 mg/kg
sewage treatment plants (STP), 10 mg/L
seawater, 482 µg/L
freshwater, 482 μg/L
2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0
soil, 0.027 mg/kg dw
sediment (seawater), 0.018 mg/kg dw
sediment (freshwater), 0.185 mg/kg dw
sewage treatment plants (STP), 1.7 mg/L (AF=10)
seawater, 0.002 mg/L (AF=10 000)
freshwater, 0.016 mg/L (AF=1000)



Version 8.0. Supersedes version: 7.0

Page 6 / 15

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.
In full contact:

0.7 mm Butyl rubber, >480 min (EN 374-1/-2/-3).

In splash contact:

0.45 mm Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Alkali-resistant protective clothing (EN 340)

Other Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

depending on concentration and quantity handled. The resistance of this equipment chemicals should be ascertained with the respective supplier.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Version 8.0. Supersedes version: 7.0

age 7 / 15

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateliquidFormpastyColorvariousOdorcharacteristicOdour thresholdnot determined

pH-value 3-4

pH-value [1%] not applicable

Boiling point or initial boiling point and boiling range [°C] not determined not determined

Flash point [°C] >93
Flammability yes

 Lower explosion limit
 not applicable

 Upper explosion limit
 not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

Density [g/cm³] 1.0 - 1.1

Relative densitynot determinedBulk density [kg/m³]not applicableSolubility in waterpartially soluble

Solubility other solvents No information available.

Partition coefficient n-octanol/water

(log value)

not determined

Kinematic viscosity not applicable
Relative vapour density not determined
Melting point [°C] not determined
Auto-ignition temperature [°C] not determined
Decomposition temperature [°C] not determined
Particle characteristics not applicable

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents and strong acids. Polymerization may occur at elevated temperature.

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

Safety Data Sheet (UK REACH) (UK) Socket and bearing mounting compound Article number 2896-540 Normfest GmbH 42551 Velbert



Date printed 07.12.2023, Revision 07.12.2023

Version 8.0. Supersedes version: 7.0

age 8 / 15

10.5 Incompatible materials

Various metals.

10.6 Hazardous decomposition products

Irritant gases/vapours.



Version 8.0. Supersedes version: 7.0

age 9 / 15

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on available data, the classification criteria are not met.

Product

ATE-mix, oral, 13547.9 mg/kg bw

Substance

1,4-Dihydroxybenzene, CAS: 123-31-9

LD50, oral, Rat, 375 mg/kg

Cumene hydroperoxide, CAS: 80-15-9

LD50, oral, Rat, 382 mg/kg IUCLID

2'-Phenylacetohydrazide, CAS: 114-83-0

LD50, oral, mouse, 270 mg/kg bw (Lit.)

2-Hydroxyethyl methacrylate, CAS: 868-77-9

LD50, oral, Rat, 5564 mg/kg bw

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

LD50, oral, Rat, 2000 - 5000 mg/kg bw

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Product

ATE-mix, dermal, 73825.5 mg/kg bw

Substance

1,4-Dihydroxybenzene, CAS: 123-31-9

LD50, dermal, Rabbit, 2000 mg/kg

Cumene hydroperoxide, CAS: 80-15-9

LD50, dermal, Rabbit, 0.126 mL/kg bw=133.6 mg/kg bw

LD50, dermal, Rat, 0.5 - 1.43 mL/kg bw

2-Hydroxyethyl methacrylate, CAS: 868-77-9

LD50, dermal, Rabbit, 5000 mg/kg bw

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

LD50, dermal, mouse, > 2000 mg/kg bw

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Product

ATE-mix, inhalativ (mist), 33.557 mg/L

ATE-mix, inhalation (vapour), 201.34 mg/L

Substance

Cumene hydroperoxide, CAS: 80-15-9

LC50, inhalative, Rat, 220 ppm 4h IUCLID

Serious eye damage/irritation

Irritant

Substance

Cumene hydroperoxide, CAS: 80-15-9

Causes serious eye damage.

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

Safety Data Sheet (UK REACH) (UK) Socket and bearing mounting compound Article number 2896-540 Normfest GmbH 42551 Velbert



Date printed 07.12.2023, Revision 07.12.2023

Version 8.0. Supersedes version: 7.0

Page 10 / 15

Eye, Rabbit, OECD 405, non-irritating

Skin corrosion/irritation

Irritant

Substance

Cumene hydroperoxide, CAS: 80-15-9

corrosive

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

dermal, Rabbit, In vivo study, non-irritating

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Substance

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

dermal, Mouse (female), OECD 429, sensitising

Specific target organ toxicity — single exposure

May cause respiratory irritation.

Classification was carried out based on substance-specific concentration limits.

Substance

Cumene hydroperoxide, CAS: 80-15-9

inhalative, adverse effect observed

Specific target organ toxicity —

Based on available data, the classification criteria are not met.

repeated exposure

Substance

Cumene hydroperoxide, CAS: 80-15-9

adverse effect observed

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

NOAEL, dermal, mouse, 2000 mg/kg bw/day, In vivo study, no adverse effect observed

NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 422, no adverse effect observed

NOAEC, inhalative, Rat, 100 ppm, OECD 413

Mutagenicity

This product contains one or more substances of Muta. 2. Based on available data, the classification criteria are not met.

Substance

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

in vitro, OECD 471, negativ

Reproduction toxicity

Does not contain a relevant substance that meets the classification criteria.

- Fertility

Substance

Cumene hydroperoxide, CAS: 80-15-9

NOAEL, oral, Rat, 100 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 422, no adverse effect observed

- Development

Substance

Cumene hydroperoxide, CAS: 80-15-9

NOAEL, oral, Rat, 100 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0



Version 8.0. Supersedes version: 7.0

Page 11 / 15

NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 414, no adverse effect observed

Carcinogenicity This product contains one or more substances of categorie Carc. 2 (CLP).

Based on available data, the classification criteria are not met.

Substance

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

NOAEL, dermal, mouse, 1000 mg/kg bw/day, In vivo study, no adverse effect observed

Aspiration hazard Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Does not contain a relevant substance that meets the classification criteria.

11.2.2 Other informationContains no ingredients with endocrine-disrupting properties.

SECTION 12: Ecological information

12.1 Toxicity

Substance	
1,4-Dihydroxybenzene, CAS: 123-31-9	
LC50, (96h), fish, 638 μg/L	
EC50, (72h), Algae, 33 - 330 μg/L	
EC50, (48h), Invertebrates, 61 - 134 μg/L	
Cumene hydroperoxide, CAS: 80-15-9	
LC50, (96h), Oncorhynchus mykiss, 3.9 mg/l	
EC50, (24h), Daphnia magna, 7 mg/l	
2-Hydroxyethyl methacrylate, CAS: 868-77-9	
LC50, (96h), fish, 100 mg/L	
EC50, (72h), Algae, 345 - 836 mg/L	
EC50, (48h), Crustacea, 380 mg/L	
2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0	
LC50, (96h), Brachidanio rerio, 16.4 mg/L	
EC50, (21d), Daphnia magna, 51.9 mg/L	
EC50, (72h), Pseudokirchneriella subcapitata, > 100 mg/L	

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not applicable
Biological degradability not applicable

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.



Version 8.0. Supersedes version: 7.0

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

12.7 Other adverse effects

Ecotoxicological data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Waste no. (recommended)

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

150110* packaging containing residues of or contaminated by hazardous substances Waste no. (recommended)

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

080409*

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

NO DANGEROUS GOODS Inland navigation (ADN)

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Safety Data Sheet (UK REACH) (UK) Socket and bearing mounting compound Article number 2896-540 **Normfest GmbH** 42551 Velbert



Date printed 07.12.2023, Revision 07.12.2023

Version 8.0. Supersedes version: 7.0

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

nο

Inland navigation (ADN)

no

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable



Version 8.0. Supersedes version: 7.0

Page 14 / 15

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex I (REACH) The product is not subject to Annex I restrictions.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the

following restrictions.

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for young people.

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H400 Very toxic to aquatic life.

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer. H335 May cause respiratory irritation.

H301 Toxic if swallowed.

H411 Toxic to aquatic life with long lasting effects.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H242 Heating may cause a fire. H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.



Version 8.0. Supersedes version: 7.0

Page 15 / 15

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration

ECSU = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Customs Tariff not determined

Classification procedure Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)

Skin Irrit. 2: H315 Causes skin irritation. (Calculation method) Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method) STOT SE 3: H335 May cause respiratory irritation. (Calculation method)

Modified position none

Copyright: Chemiebüro®